

## Percent of important activities done enough or too much

Frequency	Percent	Cumulative Percent
.0	23	2.0
5.0	4	.3
5.3	4	.3
5.6	1	.1
6.3	3	.3
6.7	3	.3
7.1	3	.3
7.7	1	.1
8.3	2	.2
10.0	8	.7
10.5	2	.2
11.1	11	1.0
11.8	5	.4
12.5	5	.4
13.3	2	.2
14.3	12	1.0
15.0	2	.2
15.4	9	.8
15.8	3	.3
16.7	9	.8
17.6	6	.5
18.2	5	.4
18.8	6	.5
20.0	22	1.9
21.1	7	.6
21.4	9	.8
22.2	17	1.5
23.1	10	.9
23.5	9	.8
25.0	16	1.4
26.3	4	.3
26.7	7	.6
27.3	5	.4
27.8	8	.7
28.6	17	1.5
29.4	5	.4
30.0	1	.1
30.8	8	.7
31.3	8	.7
31.6	6	.5
33.3	42	3.7
35.0	1	.1
35.3	9	.8
35.7	11	1.0
36.4	4	.3
36.8	5	.4
37.5	10	.9
38.5	9	.8
38.9	4	.3
40.0	21	1.8

41.2	6	.5	35.7
41.7	5	.4	36.1
42.1	6	.5	36.6
42.9	17	1.5	38.1
43.8	9	.8	38.9
44.4	12	1.0	39.9
45.0	1	.1	40.0
45.5	6	.5	40.6
46.2	11	1.0	41.5
46.7	11	1.0	42.5
47.1	3	.3	42.7
47.4	7	.6	43.3
50.0	50	4.4	47.7
52.6	5	.4	48.1
52.9	7	.6	48.7
53.3	10	.9	49.6
53.8	16	1.4	51.0
54.5	8	.7	51.7
55.6	13	1.1	52.8
56.3	3	.3	53.1
57.1	6	.5	53.6
57.9	1	.1	53.7
58.3	9	.8	54.5
58.8	5	.4	54.9
60.0	21	1.8	56.7
61.1	5	.4	57.2
61.5	13	1.1	58.3
62.5	17	1.5	59.8
63.2	6	.5	60.3
63.6	7	.6	60.9
64.3	8	.7	61.6
64.7	10	.9	62.5
66.7	23	2.0	64.5
68.4	5	.4	64.9
68.8	8	.7	65.6
69.2	12	1.0	66.7
70.0	7	.6	67.3
70.6	7	.6	67.9
71.4	18	1.6	69.5
72.2	2	.2	69.6
72.7	10	.9	70.5
73.3	11	1.0	71.5
73.7	4	.3	71.8
75.0	25	2.2	74.0
76.5	5	.4	74.4
76.9	8	.7	75.1
77.8	8	.7	75.8
78.6	7	.6	76.4
78.9	2	.2	76.6
80.0	22	1.9	78.5
81.3	6	.5	79.0
81.8	8	.7	79.7

82.4	4	.3	80.1
83.3	11	1.0	81.0
84.2	1	.1	81.1
84.6	11	1.0	82.1
85.0	2	.2	82.2
85.7	9	.8	83.0
86.7	4	.3	83.4
87.5	14	1.2	84.6
88.2	6	.5	85.1
88.9	7	.6	85.7
89.5	1	.1	85.8
90.0	8	.7	86.5
90.9	8	.7	87.2
91.7	5	.4	87.6
92.3	9	.8	88.4
92.9	10	.9	89.3
93.3	5	.4	89.7
93.8	7	.6	90.3
94.4	2	.2	90.5
94.7	3	.3	90.8
95.0	1	.1	90.9
100.0	105	9.1	100.0
Total	1149	100.0	

## Importance of Participation

TABLE 20.2 F:\RICconsult\CPI\Involvement InvolvementRptg2.out Apr 25 11:45 2011  
 INPUT: 1085 PERSON 48 ITEM REPORTED: 1082 PERSON 14 ITEM 5 CATS WINSTEPS 3.71.0.1

TABLE OF SAMPLE NORMS (500/100) AND FREQUENCIES CORRESPONDING TO COMPLETE TEST

SCORE	MEASURE	S.E.	NORMED	S.E.	FREQUENCY	%	CUM.FREQ.	%	PERCENTILE
14	.00E	17.83	102	145	8	.7	8	.7	1
15	11.42	9.59	195	78	3	.3	11	1.0	1
16	17.80	6.73	247	54	6	.6	17	1.6	1
17	21.51	5.50	278	44	1	.1	18	1.7	1
18	24.17	4.80	299	39	3	.3	21	1.9	1
19	26.27	4.34	317	35	9	.8	30	2.8	2
20	28.02	4.01	331	32	12	1.1	42	3.9	3
21	29.55	3.77	343	30	8	.7	50	4.6	4
22	30.91	3.58	355	29	11	1.0	61	5.6	5
23	32.15	3.43	365	28	14	1.3	75	6.9	6
24	33.30	3.31	374	27	11	1.0	86	7.9	7
25	34.37	3.21	383	26	14	1.3	100	9.2	8
26	35.39	3.13	391	25	20	1.8	120	11.1	10
27	36.35	3.06	399	24	23	2.1	143	13.2	12
28	37.28	3.00	407	24	21	1.9	164	15.2	14
29	38.17	2.95	414	24	15	1.4	179	16.5	15
30	39.03	2.91	421	23	31	2.9	210	19.4	17
31	39.88	2.87	428	23	20	1.8	230	21.3	20
32	40.70	2.84	435	23	18	1.7	248	22.9	22
33	41.51	2.81	441	22	29	2.7	277	25.6	24
34	42.30	2.79	448	22	15	1.4	292	27.0	26
35	43.08	2.77	454	22	19	1.8	311	28.7	27
36	43.85	2.76	460	22	34	3.1	345	31.9	30
37	44.62	2.75	467	22	38	3.5	383	35.4	33
38	45.38	2.74	473	22	35	3.2	418	38.6	37
39	46.14	2.74	479	22	31	2.9	449	41.5	40
40	46.90	2.73	485	22	28	2.6	477	44.1	42
41	47.65	2.73	491	22	36	3.3	513	47.4	45
42	48.41	2.74	498	22	35	3.2	548	50.6	49
43	49.17	2.74	504	22	39	3.6	587	54.3	52
44	49.93	2.75	510	22	35	3.2	622	57.5	55
45	50.70	2.76	516	22	28	2.6	650	60.1	58
46	51.48	2.78	523	22	36	3.3	686	63.4	61
47	52.26	2.80	529	22	27	2.5	713	65.9	64
48	53.06	2.82	536	23	32	3.0	745	68.9	67
49	53.86	2.84	542	23	43	4.0	788	72.8	70
50	54.68	2.87	549	23	33	3.0	821	75.9	74
51	55.52	2.90	556	23	24	2.2	845	78.1	76
52	56.38	2.93	563	23	30	2.8	875	80.9	79
53	57.26	2.97	570	24	26	2.4	901	83.3	82
54	58.17	3.02	577	24	23	2.1	924	85.4	84
55	59.10	3.07	585	25	13	1.2	937	86.6	85
56	60.07	3.13	593	25	20	1.8	957	88.4	87
57	61.08	3.19	601	26	14	1.3	971	89.7	89
58	62.14	3.27	610	26	10	.9	981	90.7	90
59	63.25	3.36	619	27	16	1.5	997	92.1	91
60	64.43	3.47	629	28	13	1.2	1010	93.3	92
61	65.69	3.60	639	29	8	.7	1018	94.1	93
62	67.06	3.76	650	30	12	1.1	1030	95.2	94
63	68.56	3.96	662	32	6	.6	1036	95.7	95
64	70.25	4.21	676	34	14	1.3	1050	97.0	96
65	72.18	4.55	692	37	4	.4	1054	97.4	97
66	74.48	5.02	711	41	5	.5	1059	97.9	97
67	77.38	5.74	734	46	5	.5	1064	98.3	98
68	81.40	6.98	767	57	6	.6	1070	98.9	98
69	88.19	9.84	823	80	4	.4	1074	99.3	99
70	100.00E	18.02	919	147	8	.7	1082	100.0	99

THE NORMED SCALE IS EQUIVALENT TO UIMEAN= 102.2613 USCALE= 8.1765

## Control over Participation

TABLE 20.2 F:\RICconsult\CPI\ControlRptgSp2 ControlRptg2.out Apr 25 11:44 2011  
 INPUT: 1085 PERSON 48 ITEM REPORTED: 1085 PERSON 13 ITEM 5 CATS WINSTEPS 3.71.0.1

TABLE OF SAMPLE NORMS (500/100) AND FREQUENCIES CORRESPONDING TO COMPLETE TEST

SCORE	MEASURE	S.E.	NORMED	S.E.	FREQUENCY	%	CUM.FREQ.	%	PERCENTILE
13	.00E	17.50	89	120	2	.2	2	.2	1
14	11.15	9.40	166	64	0	.0	2	.2	1
15	17.39	6.61	209	45	0	.0	2	.2	1
16	21.04	5.43	234	37	0	.0	2	.2	1
17	23.68	4.76	252	32	2	.2	4	.4	1
18	25.78	4.32	267	29	2	.2	6	.6	1
19	27.55	4.01	279	27	0	.0	6	.6	1
20	29.11	3.78	290	26	1	.1	7	.6	1
21	30.51	3.60	299	24	5	.5	12	1.1	1
22	31.78	3.46	308	23	4	.4	16	1.5	1
23	32.97	3.35	316	23	4	.4	20	1.8	1
24	34.09	3.25	324	22	1	.1	21	1.9	1
25	35.15	3.18	331	21	8	.7	29	2.7	2
26	36.17	3.11	338	21	2	.2	31	2.9	2
27	37.14	3.06	345	21	5	.5	36	3.3	3
28	38.09	3.01	351	20	11	1.0	47	4.3	3
29	39.01	2.98	358	20	7	.6	54	5.0	4
30	39.91	2.94	364	20	12	1.1	66	6.1	5
31	40.79	2.92	370	20	6	.6	72	6.6	6
32	41.66	2.90	376	19	11	1.0	83	7.6	7
33	42.52	2.88	382	19	11	1.0	94	8.7	8
34	43.37	2.87	388	19	13	1.2	107	9.9	9
35	44.22	2.87	394	19	7	.6	114	10.5	10
36	45.06	2.86	399	19	22	2.0	136	12.5	11
37	45.90	2.86	405	19	18	1.7	154	14.2	13
38	46.74	2.87	411	19	23	2.1	177	16.3	15
39	47.59	2.88	417	19	27	2.5	204	18.8	17
40	48.44	2.89	423	19	36	3.3	240	22.1	20
41	49.31	2.90	429	20	35	3.2	275	25.3	23
42	50.18	2.92	435	20	18	1.7	293	27.0	26
43	51.06	2.94	441	20	21	1.9	314	28.9	27
44	51.96	2.97	447	20	37	3.4	351	32.4	30
45	52.87	3.00	453	20	40	3.7	391	36.0	34
46	53.80	3.03	460	20	30	2.8	421	38.8	37
47	54.75	3.06	466	21	29	2.7	450	41.5	40
48	55.73	3.10	473	21	30	2.8	480	44.2	42
49	56.73	3.15	480	21	27	2.5	507	46.7	45
50	57.77	3.20	487	22	40	3.7	547	50.4	48
51	58.84	3.25	494	22	42	3.9	589	54.3	52
52	59.95	3.32	502	22	47	4.3	636	58.6	56
53	61.10	3.39	510	23	51	4.7	687	63.3	60
54	62.31	3.48	518	23	45	4.1	732	67.5	65
55	63.59	3.58	527	24	28	2.6	760	70.0	68
56	64.96	3.71	537	25	38	3.5	798	73.5	71
57	66.42	3.86	547	26	33	3.0	831	76.6	75
58	68.03	4.05	558	27	29	2.7	860	79.3	77
59	69.81	4.29	570	29	30	2.8	890	82.0	80
60	71.84	4.62	584	31	26	2.4	916	84.4	83
61	74.24	5.08	601	35	32	2.9	948	87.4	85
62	77.25	5.78	621	39	29	2.7	977	90.0	88
63	81.36	6.99	650	48	39	3.6	1016	93.6	91
64	88.23	9.78	697	67	27	2.5	1043	96.1	94
65	100.00E	17.79	778	122	42	3.9	1085	100.0	98

THE NORMED SCALE IS EQUIVALENT TO UIMEAN= 89.2938 USCALE= 6.8954